




**ORDERING GUIDE
FOR THE
UCS
UNIVERSAL CONNECTION
MAGAZINE SYSTEM.**



*This document provides assistance with the selection of elements of the UCS wire management system.
It includes the following sections:*


1. INTRODUCTION	2
2. MAGAZINES I.....	3
3. MAGAZINES II.....	4
4. MAGAZINES III (FOR BARS MOUNTING SYSTEMS).....	5
5. ACCESSORIES.....	6
6. TOOL.....	10
7. METALWORK.....	11
8. DISTRIBUTION POINTS I.....	15
9. DISTRIBUTION POINTS II.....	16
10. CABINETS.....	17
11. UCS TRAINING KIT.....	18

Please consult your local Tyco Electronics sales engineer for applications not included in this document.

Note: Please, provide the ORDERING GUIDE VERSION, when you ask for a Product contained in this Document.

1. INTRODUCTION

- The UCS (Universal Connection System) family of **termination magazines** provides a reliable, quick and easy-to-use system for wire management in main distribution frames in exchanges, cross-connect cabinets in outside plant and buildings entrance terminals.




The Contact Advantages

The combination of both contact design **(a)** and slot ribs **(b)** lead to a significant improvement in the mechanical characteristics (stress and vibration resistance) of the connection by:

(a) wire contact at 45° angles which increases the distance between opposite contact points, makes the installation easier and optimizes torsional and axial restoring forces.

(b) guaranteeing a tighter fixation point and isolation of the wire.

- Two types of termination magazines are available:
 - ◆ The **UCS-DM Disconnection Magazine** is a 10-pair protection/connection block. It is front administered and requires no stripping, wrapping or soldering of wires. The design incorporates a built-in **break access** to allow testing in both directions without wire removal.
 - ◆ The **UCS-CM Connection Magazine** is a 10-pair block for straight-through connections. It is front-administered and requires no stripping, wrapping or soldering of wires. Monitor test leads are available.



Lead Time: "A" aprox 4 weeks "B" equal or greater than 8 weeks

Key: UoM = unit of measure

Qty = quantity

pc = piece

2. MAGAZINES I

	Tyco code	PCN	colour	Lead Time
UCS-DM-8-W-SP	9-1199987-7	233366-000	white	A

8-pair Disconnection Magazine.
 Packaging: box of 10 magazines.
 Minimum Ordering Quantity: 1 box of 10 pcs.

UoM Qty/UoM
pc 1



	Tyco code	PCN	colour	Lead Time
UCS-CM-8-G-SP	7-1199986-8	407646-000	grey	A

8-pair Connection Magazine.
 Packaging: box of 10 magazines.
 Minimum Ordering Quantity: 1 box of 10 pcs.

pc 1



International P.N.	Tyco code	PCN	colour	Lead Time
UCS-DM-W-SP	8-1199203-0	959252-000	white	A
Russian Part Number				
UCS-DM-W-SP-RU01	3-1200694-7	F56117-000	white	A
German Part Number				
UCS-DM-W-SP-DE01	3-1200695-2	C29904-000	white	A

Russian and German P.N's are same product than International P.N. but only for logistics reasons.

10-pair Disconnection Magazine.
 Packaging: box of 10 magazines.
 Minimum Ordering Quantity: 1 box of 10 pcs.

pc 1



International P.N.	Tyco code	PCN	colour	Lead Time
UCS-CM-G-SP	7-1199203-9	755476-000	grey	A
Russian Part Number				
UCS-CM-G-SP-RU01	6-1200695-1	D31986-000	grey	A
German Part Number				
UCS-CM-G-SP-DE01	1-1200695-2	A66608-000	grey	A

Russian and German P.N's are same product than International P.N. but only for logistics reasons.

10-pair Connection Magazine.
 Packaging: box of 10 magazines.
 Minimum Ordering Quantity: 1 box of 10 pcs.

pc 1




Lead Time: "A" aprox 4 weeks "B" equal or greater than 8 weeks

Key: UoM = unit of measure Qty = quantity pc = piece

3. MAGAZINES II


	Tyco code	PCN	colour	Lead Time
UCS-DM-09-W-SP	5-1200015-8	935142-000	white	A

10-pair Disconnection Magazine, 0-9 printed.
 Packaging: box of 10 magazines.
 Minimum Ordering Quantity: 1 box of 10 pcs.




	Tyco code	PCN	colour	Lead Time
UCS-CM-09-G-SP	7-1200014-1	363162-000	grey	A

10-pair Connection Magazine, 0-9 printed.
 Packaging: box of 10 magazines.
 Minimum Ordering Quantity: 1 box of 10 pcs.



	Tyco code	PCN	colour	Lead Time
UCS-EM	1-1199209-3	594544-000	RAL 3022	A

10-pair Connection Magazine earthed.
 Packaging: box of 10 magazines.
 Minimum Ordering Quantity: 1 box of 10 pcs.



Lead Time: "A" aprox 4 weeks "B" equal or greater than 8 weeks

Key:

UoM = unit of measure


Qty = quantity

pc = piece

4. MAGAZINES III (FOR BARS MOUNTING SYSTEMS)


	Tyco code	PCN	colour	Lead Time
UCS-DMB-W-SP	2-1200881-9	D86582-000	white	A

10-pair Disconnection Magazine.
 Packaging: box of 10 magazines **including 20 UCS-BA** (Profile adaptors needed for the 10 magazines)
 Minimum Ordering Quantity: 1 box of 10 pcs.




	Tyco code	PCN	colour	Lead Time
UCS-CMB-G-SP	7-1200881-5	A11686-000	grey	A

10-pair Connection Magazine.
 Packaging: box of 10 magazines **including 20 UCS-BA** (Profile adaptors needed for the 10 magazines)
 Minimum Ordering Quantity: 1 box of 10 pcs.




	Tyco code	PCN	colour	Lead Time
UCS-DMB-8-W-SP	3-1200881-1	D88808-000	white	A

8-pair Disconnection Magazine.
 Packaging: box of 10 magazines **including 20 UCS-BA** (Profile adaptors needed for the 10 magazines)
 Minimum Ordering Quantity: 1 box of 10 pcs.



	Tyco code	PCN	colour	Lead Time
UCS-CMB-8-G-SP	8-1200881-8	A61192-000	grey	A

8-pair Connection Magazine.
 Packaging: box of 10 magazines **including 20 UCS-BA** (Profile adaptors needed for the 10 magazines)
 Minimum Ordering Quantity: 1 box of 10 pcs.



Lead Time: "A" aprox 4 weeks "B" equal or greater than 8 weeks

Key: UoM = unit of measure Qty = quantity pc = piece

5. ACCESSORIES

5.1. BARS FRAMES ADAPTORS

	Tyco code	PCN	Lead Time
UCS-BA	5-1200830-6	A60669-000	A


Bars Adaptors for UCS Magazines (Profile version)

Standard packaging. Box of:

- 200 bars adaptors.
- 1 leaflet.

Minimum ordering quantity: 200 pcs or multiple.

2 UCS-BA are needed per magazine. Therefore 200 UCS-BA are needed for 100 magazines.




5.2. PLUGS AND MARKERS

	Tyco code	PCN	colour	Lead Time
UCS-BP-W	8-1199203-1	958814-000	white	A
UCS-BP-BL	8-1199203-2	867612-000	black	A
UCS-BP-R	1-1199254-3	889198-000	red	A

Break Plug.

Piece (pc) = Bag of 100 units.

Minimum ordering quantity: 1 pc.




	Tyco code	PCN	colour	Lead Time
UCS-DP-W	7-1199208-8	864392-000	white	A
UCS-DP-BL	7-1199208-4	841044-000	black	A
UCS-DP-R	1-1199210-4	163650-000	red	A

Dummy Plug.

Piece (pc) = Bag of 100 units.

Minimum ordering quantity: 1 pc.




	Tyco code	PCN	colour	Lead Time
UCS-BS	6-1199208-6	953188-000	white	A

Break Strip, 10pr.

Standard packaging: Bags of 20 pcs.

Minimum ordering quantity: 1 bag of 20 pcs.




	Tyco code	PCN	colour	Lead Time
UCS-BS-8	6-1200368-1	A12890-000	white	A

Break Strip, 8pr.

Standard packaging: Bags of 20 pcs.

Minimum ordering quantity: 1 bag of 20 pcs.



Lead Time: "A" aprox 4 weeks "B" equal or greater than 8 weeks

Key:

UoM = unit of measure


Qty = quantity

pc = piece

5.3. DESIGNATION ACCESSORIES


	Tyco code	PCN	colour	Lead Time
UCS-HLH	2-1199210-4	001658-000	grey	A

Hinged Label Holder.
 Standard packaging: boxes of 40 pcs.
 Minimum ordering quantity: 1 box of 40 pcs.




	Tyco code	PCN	colour	Lead Time
UCS-HLH-8	1-1200357-0	F02461-000	grey	A

Hinged Label Holder for 8 pair Magazines.
 Standard packaging: boxes of 40 pcs.
 Minimum ordering quantity: 1 box of 40 pcs.




	Tyco code	PCN	colour	Lead Time
UCS-MLH	4-1199209-2	472114-000	grey	A

Magazine Label Holder.
 Standard packaging: boxes of 20 pcs.
 Minimum ordering quantity: 1 box of 20 pcs.



	Tyco code	PCN	colour	Lead Time
UCS-MLH-8	1-1200358-4	D31369-000	grey	A

Magazine Label Holder for 8 pair Magazines.
 Standard packaging: boxes of 20 pcs.
 Minimum ordering quantity: 1 box of 20 pcs.




Lead Time: "A" aprox 4 weeks "B" equal or greater than 8 weeks

Key: UoM = unit of measure Qty = quantity pc = piece

5.4. PROTECTION


	Tyco code	PCN	colour	Lead Time
UCS-PR-5GT-230-C	5-1200296-8	C70913-000	black	A

5-point, overvoltage + overcurrent protection, 230V gas discharge tube.
 Standard packaging: bag of 10 protectors + 1 ground bar.
 Minimum ordering quantity: 1 box of 100 pcs.




	Tyco code	PCN	Lead Time
UCS-GROUND-BAR	3-1200573-7	F52262-000	A

Ground bar for UCS individual protectors.
 Minimum ordering quantity: 10 pcs or multiple.




	Tyco code	PCN	colour	Lead Time
UCS-OM-3	0-1199423-2	418338-000	grey	A

Overvoltage magazine 3 pole.
 No GDTs included with this item.
 Standard packaging: box of 10 magazines.
 Minimum ordering quantity: 1 box of 10 pcs.




	Tyco code	PCN	colour	Lead Time
UCS-OM-3-8	2-1200365-2	E48962-000	grey	A

Overvoltage magazine 3 pole for 8 pair Magazines.
 No GDTs included with this item.
 Standard packaging: box of 10 magazines.
 Minimum ordering quantity: 1 box of 10 pcs.




	Tyco code	PCN	colour	Lead Time
UCS-OM-3-230-F	7-1200288-4	694848-000	grey	A

Overvoltage magazine 3 pole.
 GDTs included with this item.
 Standard packaging: box of 10 magazines.
 Minimum ordering quantity: 1 box of 10 pcs.



	Tyco code	PCN	Voltage	Lead Time
MN-ELE-3.50.43	2-1197841-2	312566-000	250 V	A
MN-ELE-3.50.27	8-1190300-3	039272-000	230 V	A

3-point (overvoltage) Gas Discharge Tubes with fail-safe.
 Standard packaging: tray of 100 GDTs.
 Minimum ordering quantity: 1 tray of 100 pcs.



Lead Time: "A" aprox 4 weeks "B" equal or greater than 8 weeks

Key: UoM = unit of measure Qty = quantity pc = piece

5.5. TEST CORDS

5.5.1. 4-WIRE TEST CORDS, TEST

	Tyco code	PCN	Meters	Lead Time
UCS-TC-T-2-P/B	8-1199203-4	247604-000	2 m	A
UCS-TC-T-5-P/B	8-1199203-5	308120-000	5 m	A


Test cord, Test, Plug/Banana.
 Standard packaging: 1 pc per bag.
 Minimum ordering quantity: 5 bags of 1 pc.



5.5.2. 2-Wire Monitor Cords, Monitor

	Tyco code	PCN	Meters	Lead Time
UCS-TC-M-2-P/B	7-1199208-6	851058-000	2 m	A
UCS-TC-M-5-P/B	0-1199210-1	225942-000	5 m	A

Test cord, Monitor, Plug/Banana.
 Standard packaging: 1 pc per bag.
 Minimum ordering quantity: 5 bags of 1 pc.




Lead Time: “A” aprox 4 weeks “B” equal or greater than 8 weeks

Key: UoM = unit of measure Qty = quantity pc = piece

6. TOOL

	Tyco code	PCN	Lead Time
UCS-IT	3-1199209-6	449526-000	A

Installation Tool.
 Standard packaging: 1 pc per box.
 Minimum ordering quantity: 1 box.




Lead Time:	“A” aprox 4 weeks	“B” equal or greater than 8 weeks
Key:	<i>UoM = unit of measure</i>	<i>Qty = quantity</i>
		<i>pc = piece</i>

7. METALWORK

7.1. STANDARD MOUNTING FRAME I (10 PAIR MAGAZINES)


	Tyco code	PCN	Lead Time
UCS-MF-30-11	3-1199209-5	449054-000	A

Mounting Frame, 30 mm depth, 11 positions.
 Material: stainless steel.
 Minimum ordering quantity: 2 pcs or multiple.




	Tyco code	PCN	Lead Time
UCS-MF-30-10	7-1199209-1	422860-000	A

Mounting Frame, 30 mm depth, 10 positions.
 Material: stainless steel.
 Minimum ordering quantity: 2 pcs or multiple.



	Tyco code	PCN	Lead Time
UCS-MF-50-33	1-1199623-3	375796-000	A

Mounting Frame, 50 mm depth, 33 positions for cross-connection cabinets only.
 Material: stainless steel.
 Minimum ordering quantity: 2 pcs or multiple.



	Tyco code	PCN	Lead Time
UCS-MF-40-6-CB	5-1200344-5	A69528-000	A

Mounting Frame, 40 mm depth, 6 positions plus assembly kit for Cross-Connection Cabinets.
 Material: stainless steel.
 Minimum ordering quantity: 2 pcs or multiple.



Lead Time: "A" aprox 4 weeks "B" equal or greater than 8 weeks

Key:

UoM = unit of measure


Qty = quantity

pc = piece

7.1. STANDARD MOUNTING FRAME II (10 PAIR MAGAZINES)


	Tyco code	PCN	Lead Time
UCS-MF-40-11-CB	8-1200343-7	C75731-000	A

Mounting Frame, 40 mm depth, 11 positions (for cross-connection cabinets only) plus assembly kit for Cross-Connection Cabinets.
 Material: stainless steel.
 Minimum ordering quantity: 2 pcs or multiple.



	Tyco code	PCN	Lead Time
UCS-MF-50-11-PF	0-1200865-5	C75245-000	A

Mounting Frame, 50 mm depth, 11 positions (*square* bars mounting system for UCS magazines), mounted.
 Material: stainless steel.
 Minimum ordering quantity: 5 pcs or multiple.




Lead Time: “A” aprox 4 weeks “B” equal or greater than 8 weeks

Key: UoM = unit of measure Qty = quantity pc = piece

7.2. DUST PROTECTORS


	Tyco code	PCN	Lead Time
UCS-DC-100	5-1199422-5	728190-000	A

Dust Cover – 100pr. Block.
 Standard packaging: boxes of 12 pcs.
 Minimum ordering quantity: 1 box of 12 pcs.



	Tyco code	PCN	Lead Time
UCS-DC-100-F	0-1200368-2	D31859-000	A

Flat Dust Cover – 100pr. Block.
 Standard packaging: boxes of 12 pcs.
 Minimum ordering quantity: 1 box of 12 pcs.



	Tyco code	PCN	Lead Time
UCS-DC-50-F	2-1200367-8	C22551-000	A

Flat Dust Cover – 50pr. Block.
 Standard packaging: boxes of 12 pcs.
 Minimum ordering quantity: 1 box of 12 pcs.




Lead Time: “A” aprox 4 weeks “B” equal or greater than 8 weeks

Key: UoM = unit of measure Qty = quantity pc = piece

7.3. MDF MOUNTING FRAMES (8 PAIR MAGAZINES)


	Tyco code	PCN	Lead Time
UCS-MF-30-8-MDF-8	4-1200365-9	F09904-000	A

Mounting Frame, 30 mm depth, 8 positions.
 Material: stainless steel.
 Minimum ordering quantity: 2 pcs or multiple.



	Tyco code	PCN	Lead Time
UCS-MF-30-16-MDF-8	2-1200365-5	C70771-000	A

Mounting Frame, 30 mm depth, 16 positions.
 Material: stainless steel.
 Minimum ordering quantity: 2 pcs or multiple.



Lead Time: "A" aprox 4 weeks "B" equal or greater than 8 weeks

Key:

UoM = unit of measure

Qty = quantity

pc = piece

8. DISTRIBUTION POINTS I


	Tyco code	PCN	colour	Lead Time
UCS-BET1-30-I-WM	6-1200364-3	D36549-000	grey	B

The basic box is supplied containing a 3-position-mounting frame with 11 mm storage space and earth terminal.

Dimensions: 159 x 144 x 79 mm.

Minimum ordering quantity: 1 pc.

Note: No magazines are supplied, they must be ordered separately. Suitable for protection in cartridge version ONLY.




	Tyco code	PCN	colour	Lead Time
UCS-BET1-50-I-WM	7-1200310-4	F01431-000	grey	B

The basic box is supplied containing a 5-position-mounting frame with 11 mm storage space, earth terminal and jumper rings.

Dimensions: 210 x 160 x 90 mm.

Minimum ordering quantity: 1 pc.

Note: No magazines are supplied, they must be ordered separately. Suitable for protection in cartridge version ONLY.




	Tyco code	PCN	colour	Lead Time
UCS-BET1-100-I-WM	6-1200365-2	F53466-000	grey	B

The box is supplied with a 10-position mounting frame with 30 mm storage space, earth terminal and jumper rings.

Dimensions: 320 x 210 x 120 mm.

Minimum ordering quantity: 1 pc.

Note: No magazines are supplied, they must be ordered separately. Suitable for protection in cartridge and individual versions.



	Tyco code	PCN	colour	Lead Time
UCS-BET2-200-O	4-1200365-8	F05038-000	grey	B

This is a cross-connect box designed to house up to 20 UCS magazines, (200 pairs).

It is supplied with two 50 mm high mounting frames already installed side-by-side.


Jumper rings are also provided.

Material: Fibre-glass reinforced polyester.

Dimensions: 460 x 340 x 125 mm.

Minimum ordering quantity: 1 pc.

Note: No magazines are supplied, they must be ordered separately. Suitable for protection in cartridge and individual versions.



Lead Time: "A" aprox 4 weeks "B" equal or greater than 8 weeks

Key:

UoM = unit of measure


Qty = quantity

pc = piece

9. DISTRIBUTION POINTS II

	Tyco code	PCN	colour	Lead Time
UCS-BET2-400-O	6-1200365-3	F55090-000	grey	B

This is a cross-connect box designed to house up to 40 UCS magazines, (400 pairs). It is supplied with four 50 mm high mounting frames already installed side-by-side. Jumper rings are also provided.
 Material: Fibre-glass reinforced polyester.
 Dimensions: 460 x 630 x 125 mm.
 Minimum ordering quantity: 1 pc.
 Note: No magazines are supplied, they must be ordered separately. Suitable for protection in cartridge and individual versions.



	Tyco code	PCN	colour	Lead Time
UCS-BET2-600-O	1-1200365-4	E42822-000	grey	B

This is a cross-connect box designed to house up to 60 UCS magazines, (600 pairs). It is supplied with two 50 mm height mounting frames, in high density version, already installed side-by-side. Jumper rings are also provided.
 Material: Fibre-glass reinforced polyester.
 Dimensions: 460 x 785 x 125 mm.
 Minimum ordering quantity: 1 pc.
 Note: No magazines are supplied, they must be ordered separately. Suitable for protection in cartridge and individual versions.



	Tyco code	PCN	Lead Time
MDG-EP-IDTB-KEY10	5-1191395-3	192401-000	A

This key operates the locks of the UCS series 600 boxes.
 Piece (pc) = Bag of 10 units.
 Minimum ordering quantity: 1 pc.



Lead Time: "A" aprox 4 weeks "B" equal or greater than 8 weeks

Key:

UoM = unit of measure

Qty = quantity

pc = piece


10. CABINETS

	Tyco code	PCN	Lead Time
UCS-CB-1200-K	0-1199623-1	940068-000	B

Cabinet of 1200 pairs, including internal chassis and earthing without pedestal; excluding mounting frames.

Material: Polycarbonate with glass fiber reinforcement.

Minimum ordering quantity: 1 cabinet.



	Tyco code	PCN	Lead Time
UCS-CB-2400-K	8-1199940-6	400532-000	B

Cabinet of 2400 pairs, including internal chassis and earthing without pedestal; excluding mounting frames.

Material: Polycarbonate with glass fiber reinforcement.

Minimum ordering quantity: 1 cabinet.




	Tyco code	PCN	Lead Time
UCS-CPS	4-1200372-7	C22665-000	B

Cabinet Pedestal, Short version, for UCS CB's 1200 and 2400 pairs.

Material: Polycarbonate with glass fiber reinforcement.

Minimum ordering quantity: 1 cabinet pedestal.



Lead Time: "A" aprox 4 weeks "B" equal or greater than 8 weeks

Key:

UoM = unit of measure

Qty = quantity

pc = piece

11. UCS TRAINING KIT

	Tyco code	PCN	Lead Time
UCS-TK	5-1200627-8	F53669-000	B

This kit is delivered assembled. It is designed to:

- provide a basic kit for training purposes
- provide a representative set of samples to demonstrate the product family to customers.

Piece (pc) = 1 UCS-TK

Minimum ordering quantity: 1 pc.



This is made up of:

AMP CODE	PRODUCT NAME	ENGLISH DESCRIPTION	UNITS
8-1199203-0	UCS-DM-W-SP	Disconnection Magazine, White	5
7-1199203-9	UCS-CM-G-SP	Connection Magazine, Grey	5
9-1199987-7	UCS-DM-8-W-SP	8 pair Disconnection Magazine	1
8-1199203-4	UCS-TC-T-2-P/B	Test cord, Test, 2 m., Plug/Banana	1
8-1199203-1	UCS-BP-W	Break Plug, White (100 pcs)	1
8-1199203-2	UCS-BP-BL	Break Plug, Black(100pcs)	1
1-1199254-3	UCS-BP-R	Break Plug, Red (100pcs)	1
5-1200296-8	UCS-PR-5GT-230-C	Individual 230v protector.	2
3-1200573-7	UCS-GROUND BAR	UCS-Ground Bar	1
0-1199423-2	UCS-OM-3	Overvoltage magazine 3 pole	1
2-1197841-2	MN-ELE-3.50.43	3-pole GDT w/fail-safe 250V.	5
3-1199209-6	UCS-IT	Installation Tool	1
6-1199208-6	UCS-BS	Break Strip, 10pr.	1
1-1199210-4	UCS-DP-R	Dummy Plug, Red (100pcs)	1
7-1199208-4	UCS-DP-BL	Dummy Plug, Black(100pcs)	1
7-1199208-8	UCS-DP-W	Dummy Plug, White(100pcs)	1
4-1199209-2	UCS-MLH	Magazine Label Holder	1
2-1199210-4	UCS-HLH	Hinged Label Holder	1
5-1199422-5	UCS-DC-100	Dust Cover - 100pr. Block	1
3-1199209-5	UCS-MF-30-11	Mounting Frame, 30 depth, 11 positions	1

All of this information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their application.

Tyco Electronics makes no warranties as to the accuracy or completeness of the information and disclaims any liability regarding its use. Tyco Electronics' only obligations are those in the Standard Terms and Conditions of Sale for this product and in no case will Tyco Electronics be liable for any incidental, indirect or consequential damages arising from the sale, resale, use or misuse of the product. Tyco Electronics Ordering Guides are subject to change without notice. In addition, Tyco Electronics reserves the right to make changes in materials or processing, without notification to the Buyer, which do not affect compliance with any applicable specification.

Tyco Electronics Raychem and UCS are trademarks.

© Copyright Tyco Electronics 2001

Lead Time: "A" aprox 4 weeks "B" equal or greater than 8 weeks

Key:

UoM = unit of measure

Qty = quantity

pc = piece